

Pliki .tpl

boxes/Bestsellers/box.tpl

```
8             {if $boxNs->$box_id->format == 2}
9                 <ol class="productlist">
10                     {foreach from=$boxNs->$box_id->list item=bs_product name=list}
- 11                     <li><a href="{route function='product' key=$bs_product->getIdentifier() productName=$bs_product->tr
anslation->name productId=$bs_product->getIdentifier()
+ 11                     <li data-product-id="{ $bs_product->product->product_id}"><a href="{route function='product' key=$bs
_product->getIdentifier() productName=$bs_product->translation->name productId=$bs_product->getIdentifier()
12                     }" title="{ $bs_product->translation->name|escape}">{ $bs_product->translation->name|escape}</a><
/li>
13                 {/foreach}
14             </ol>
15             {else}
16                 {foreach from=$boxNs->$box_id->list item=bs_product name=list}
- 17                 <div class="product row center">
+ 17                 <div data-product-id="{ $bs_product->product->product_id}" class="product row center">
18                     <a href="{route function='product' key=$bs_product->getIdentifier() productName=$bs_product->t
ranslation->name productId=$bs_product->getIdentifier()}"
19                     title="{ $bs_product->translation->name|escape}" class="row">
- 20                     <span class="boximgsize row">
- 21                     translation->name|escape}">
+ 20                     <span class="boximgsize row lazy-load">
+ 21                     img->medium height=$skin_settings->img->medium image=$bs_product->mainImageName() overlay=1
}" alt="{ $bs_product->translation->name|escape}">
+ 22                     </span>
+ 23                     <noscript>
+ 24                     translation->name|escape}">
+ 25                     </noscript>
26                 </span>
27                 <div class="productnamewrap row">
28                 <span class="productname">{ $bs_product->translation->name|escape}</span>
```

boxes/NewProducts/box.tpl

```
8             {if $boxNs->$box_id->format == 2}
```

```

9         <ol class="productlist">
10             {foreach from=$boxNs->$box_id->list item=newproduct name=list}
- 11         <li><a href="{route function='product' key=$newproduct->getIdentifier() productName=$newproduct->tr
anslation->name productId=$newproduct->getIdentifier()
+ 11         <li data-product-id="{ $newproduct->product->product_id}"><a href="{route function='product' key=$ne
wproduct->getIdentifier() productName=$newproduct->translation->name productId=$newproduct->getIdentifier()
12             }" title="{ $newproduct->translation->name|escape}">{ $newproduct->translation->name|escape}</a><
/li>
13             {/foreach}
14         </ol>
15         {else}
16             {foreach from=$boxNs->$box_id->list item=newproduct name=list}
- 17         <div class="product row center">
+ 17         <div data-product-id="{ $newproduct->product->product_id}" data-category="{ $newproduct->defaultCate
gory->translation->name|escape}" {if $newproduct->product->producer_id}data-producer="{ $newproduct->producer->manufacturer->name|escape}"
{/if} class="product row center">
18             <a href="{route function='product' key=$newproduct->getIdentifier() productName=$newproduct->tr
anslation->name productId=$newproduct->getIdentifier()
19                 }" title="{ $newproduct->translation->name|escape}" class="row">
- 20         <span class="boxingsize row">
- 21         translation->name|escape}">
+ 20         <span class="boxingsize row lazy-load">
+ 21         img->medium height=$skin_settings->img->medium image=$newproduct->mainImageName() overlay=1
}" alt="{ $newproduct->translation->name|escape}">
+ 22         <noscript>
+ 23         translation->name|escape}">
+ 24         </noscript>
25         </span>
26         </div>
27         <div class="productnamewrap row">
28         <span class="productname">{ $newproduct->translation->name|escape}</span>

```

boxes/ProductOfTheDay/box.tpl

```

8
9         {if $boxNs->$box_id->format < 3}
10         {foreach from=$boxNs->$box_id->list item=potd name=list}
- 11         <div class="product row center">
+ 11         <div data-product-id="{ $potd->product->product_id}" data-category="{ $potd->defaultCategory->translation->na
me|escape}" {if $potd->product->producer_id}data-producer="{ $potd->producer->manufacturer->name|escape}"{/if} class="product row center"
>
12             <a href="{route function='product' key=$potd->getIdentifier() productName=$potd->translation->name prod
uctId=$potd->getIdentifier()
13                 }" title="{ $potd->translation->name|escape}" class="row">
- 14         <span class="boxingsize row">
- 15         translation->name|escape}">
+ 14         <span class="boxingsize row lazy-load">

```

```

+ 15         img->medium height=$skin_settings->img->medium image=$potd->mainImageName() overlay=1}" alt="{spotd
->translation->name|escape}">
+ 16
+ 17         <noscript>
+ 18             translation->name|escape}">
+ 19         </noscript>
20     </span>
21     <div class="productnamewrap row">
22         <span class="productname">{spotd->translation->name|escape}</span>

```

```

61         {/if}
62     {/if}
63 </div>
- 64
65
66         {if ($enable_availability_notifier && $potd->isEnabledNotifier()) || $enablebasket && $potd->canBuyStoc
k()}
67         {if true == $potd->defaultStockOnly()}

```

```

107     {else}
108     <ol class="productlist">
109     {foreach from=$boxNs->$box_id->list item=potd name=list}
- 110     <li><a href="{route function='product' key=$potd->getIdentifier() productName=$potd->translation->name
productId=$potd->getIdentifier()}" title="{spotd->translation->name|escape}">{spotd->translation->name|escape}</a></li>
+ 110     <li data-product-id="{spotd->product->product_id}"><a href="{route function='product' key=$potd->getIde
ntifier() productName=$potd->translation->name productId=$potd->getIdentifier()}" title="{spotd->translation->name|escape}">{spotd->translation->name|escape}</a></li>
111     {/foreach}
112     </ol>
113

```

boxes/Recent/box.tpl

```

8
9     {if $boxNs->$box_id->format < 3}
10     {foreach from=$boxNs->$box_id->list item=special_product name=list}
- 11     <div class="product row center">
+ 11     <div data-product-id="{special_product->product->product_id}" data-category="{special_product->defaultCategory->trans
lation->name|escape}" {if $special_product->product->producer_id}data-producer="{special_product->producer->manufacturer->name|escape}"
{/if} class="product row center">
12     <a href="{route function='product' key=$special_product->getIdentifier() productName=$special_product->translation-
>name productId=$special_product->getIdentifier()}" title="{special_product->translation->name|escape}" class="row">
13     <span class="boxingsize row">
- 14     translation->name|escape}">
- 15     <span class="boxingsize row lazy-load">
+ 14     img->medium height=${skin_settings->img->medium image=${special_product->mainImageName() overlay=1}" alt="{special_product->translation->name|escape}">
+ 16
+ 17 <noscript>
+ 18 translation->name|escape}">
+ 19 </noscript>
20 </span>
21 <div class="productnamewrap row">
22 <span class="productname">{special_product->translation->name|escape}</span>

```

```

108 {else}
109 <ol class="productlist">
110 {foreach from=${boxNs->$box_id->list item=special_product name=list}
- 111 <li><a href="{route function='product' key=${special_product->getIdentifier() productName=${special_product->translation->name productId=${special_product->getIdentifier()
+ 111 <li data-product-id="{special_product->product->product_id}"><a href="{route function='product' key=${special_product->product->product_id}" data-product-id="{special_product->product->product_id}" data-category="{special_product->defaultCategory->translation->name|escape}" {if ${special_product->product->producer_id}data-producer="{special_product->producer->manufacturer->name|escape}"{/if} class="product center row">
112 <a href="{route function='product' key=${special_product->getIdentifier() productName=${special_product->translation->name productId=${special_product->getIdentifier()
113 </li>
114 </ol>

```

boxes/SpecialOffer/box.tpl

```

8
9 {if ${boxNs->$box_id->format < 3}
10 {foreach from=${boxNs->$box_id->list item=special_product name=list}
- 11 <div class="product center row">
+ 11 <div data-product-id="{special_product->product->product_id}" data-category="{special_product->defaultCategory->translation->name|escape}" {if ${special_product->product->producer_id}data-producer="{special_product->producer->manufacturer->name|escape}"{/if} class="product center row">
12 <a href="{route function='product' key=${special_product->getIdentifier() productName=${special_product->translation->name productId=${special_product->getIdentifier()
13 </a> <span class="spanhover">
- 14 <span class="boximgsize row">
- 15 translation->name|escape}">
+ 14 <span class="boximgsize row lazy-load">
+ 15 img->medium height=${skin_settings->img->medium image=${special_product->mainImageName() overlay=1}" alt="{special_product->translation->name|escape}">
+ 16
+ 17 <noscript>
+ 18 translation->name|escape}">
+ 19 </noscript>
20 </span>
21 <div class="productnamewrap row">
22 <span class="productname">{special_product->translation->name|escape}</span>

```

```

109         {else}
110         <ol class="productlist">
111         {foreach from=$boxNs->$box_id->list item=special_product name=list}
- 112             <li><a href="{route function='product' key=$special_product->getIdentifier() productName=$special_produ
ct->translation->name productId=$special_product->getIdentifier()
+ 112             <li data-product-id="{ $special_product->product->product_id}"><a href="{route function='product' key=$s
pecial_product->getIdentifier() productName=$special_product->translation->name productId=$special_product->getIdentifier()
113                 }" title="{ $special_product->translation->name|escape}">{ $special_product->translation->name|escape
} </a></li>
114         {/foreach}
115     </ol>

```

scripts/basket/done.tpl

```

54         </div>
55     </div>
56 </div>
+ 57 <script>
+ 58     try {literal}{{/literal}Shop.values.ShippingHidden = { $extra_step}; {literal}}{ /literal} catch(e) {literal}{ }{/literal}
+ 59 </script>
60 {plugin module=shop template=basket_done}
61 {include file='footerbox.tpl'}
62 {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S
kinFooterGroup,Logic_SkinFooterLink'}
63 {plugin module=shop template=footer}
64 {include file='switch.tpl'}
65 </body>
- 66 </html>
+ 63 </html>

```

scripts/basket/index.tpl

```

50
51         <tbody>
52             {foreach from=$user->basket item=basket_product}
- 53             <tr>
+ 53             <tr data-product-id="{ $basket_product->product->product_id}" data-category="{ $
basket_product->product->defaultCategory->translation->name|escape}" {if $basket_product->product->product->producer_id}data-producer="{
$basket_product->product->producer->manufacturer->name|escape}" {/if}>
54                 <td class="img large">
55                     product->translation->name|escape}" />
56                 </td>

```

```

247         
248         <span>{translate key='Order now'}</span>
249     </button>
- 250 </span>

```

```
+ 250 </span>
+ 251
+ 252 {plugin module=shop template=basket-submit-buttons}
253 </div>
254 </div>
255 </form>
```

scripts/basket/step3.tpl

```
39
40 <tbody>
41 {foreach from=$user->basket item=basket_product}
- 42 <tr>
+ 42 <tr data-product-id="{ $basket_product->product->product_id}" data-category="{ $basket_p
product->product->defaultCategory->translation->name|escape}" {if $basket_product->product->product->producer_id}data-producer="{ $basket_
product->product->producer->manufacturer->name|escape}"{/if}>
43 <td class="img rwd-hide-medium rwd-hide-small">
44 product->translation->name|escape}">
45 </td>
```

```
261 </div>
262 </div>
263 </div>
+ 264 <script>
+ 265 try {literal}{{/literal}Shop.values.ShippingHidden = { $shipping_extra_step}; {literal}}{/literal} catch(e) {literal}{ }{/literal}
+ 266 </script>
267 {include file='footerbox.tpl'}
268 {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S
kinFooterGroup,Logic_SkinFooterLink'}
269 {plugin module=shop template=footer}
```

scripts/product/index.tpl

```
23 {/dynamic}
24
25 {if 1 == $product->translation->active || $adminPreview == true}
- 26 <div class="box row" id="box_productfull">
+ 26 <div class="box row" id="box_productfull" data-category="{ $product->defaultCategory->translation->name|escape}"
>
27 <div class="boxhead">
28 <h1 class="name" itemprop="name">
29 { $product->translation->name|escape}

59 {/if}
60 </div>
61 {/if}
+ 62
```

```

+ 63                                     {if $product->product->producer_id}
+ 64                                     <meta itemprop="brand" content="{ $product->producer->manufacturer->name|escape} ">
+ 65                                     {/if}
66                                     </div>
67
- 68                                     <div class="bottomborder row">
- 69                                     <div class="basket" itemprop="offers" itemscope itemtype="{ $schema}://schema.org/Offer"
>
+ 64                                     <div class="bottomborder row" itemprop="offers" itemscope itemtype="{ $schema}://schema.org/
Offer">
+ 65                                     <div class="basket">
66                                         {if $loyalty_exchange}
67                                         <div class="price">
68                                         <span class="price-name">{translate key="Price"}:</span>

97                                         {/if}
98
99                                         {/if}
- 100                                     <span class="none" itemprop="priceCurrency">{currencyName short=true}</
span>
+ 100                                     <meta itemprop="priceCurrency" content="{currencyName short=true}">
101                                     </div>
102                                     {/if}
103

303                                     <em>{translate key="Vendor"}: </em>
304                                     {if $product->product->producer_id}
305                                         {if $product->producer->manufacturer->web}
- 306                                     <a itemprop="brand" content="{ $product->producer->manufactu
rer->name|escape}" target="_blank" class="brand" href="{ $product->producer->manufacturer->web}" title="{ $product->producer->manufactu
rer->name|escape} ">
+ 306                                     <a target="_blank" class="brand" href="{ $product->producer-
>manufacturer->web}" title="{ $product->producer->manufacturer->name|escape} ">
307                                     {else}
- 308                                     <a itemprop="brand" content="{ $product->producer->manufactu
rer->name|escape}" class="brand" href="{route function='producer' key=$product->producer->getIdentifier() producerName=$product->produce
r->manufacturer->name producerId=$product->producer->getIdentifier()
+ 308                                     <a class="brand" href="{route function='producer' key=$prod
uct->producer->getIdentifier() producerName=$product->producer->manufacturer->name producerId=$product->producer->getIdentifier()
309                                     page=1 sort=1 view=$view}" title="{ $product->produc
er->manufacturer->name|escape} ">
310                                     {/if}
311                                     {if $product->producer->manufacturer->gfx}

319                                     {/if}
320                                     </div>
321                                     {/if}
- 322                                     <span itemscope itemtype="http://schema.org/Offer">
- 323                                     <meta itemprop="category" content="{ $product->defaultCategory->tran

```

```

- 324 slation->name}" />
+ 322
+ 323 <meta itemprop="category" content="{ $product->defaultCategory->translat
ion->name}" />
+ 324
325 {if 1 == $skin_settings->productdetails->code}
326 <div class="row code">
327 <em>{translate key="Product code"}:</em>

```

scripts/product/related.tpl

```

9
10 <div class="innerbox tab-content product-related">
11 {foreach from=$related_products item=rproduct name=list}
- 12 <div class="product row {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
+ 12 <div data-product-id="{ $rproduct->product->product_id}" data-category="{ $rproduct->defaultCategory->translation->name|escape}" {if $rproduct->product->producer_id}data-producer="{ $rproduct->producer->manufacturer->name|escape}"{/if} class="product row {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
13 <div class="f-row">
14 <h3 class="rwd-show-medium rwd-hide-full">
15 <a href="{route function=$productRoute key=$rproduct->product->product_id productName=$rproduct->translation->name}">
n->name

```

```

86 <button class="addtobasket btn btn-red" type="submit">
87 
88 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}{/if}</span>
+ 89 <input type="hidden" value="{ $rproduct->defaultStock->getIdentifier()|escape}" name
="stock_id">
90 </button>
91 </fieldset>
92 {elseif $enable_availability_notifier && $rproduct->isEnabledNotifier()}

```

scripts/product/tableofproducts.tpl

```

9 {if 'full' == $view || $view == 'desc'}
10 <div class="products view{$view}" {if $skin_settings->global->pricemode == '2'}data-netto="true"{/if}>
11 {foreach from=$products item=product name=prodlist}
- 12 <div class="oneperrow f-row product {$columnCounter}">
+ 12 <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|escape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="oneperrow f-row product {$columnCounter}">
13 <div class="f-row description">
14 <h3 class="small tablet f-grid-12">
15 <a href="{route function=$productRoute key=$product->product->product_id productName=$product->translation->name productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="nofollow">

```



```

19         <div>
20             <a class="details f-grid-4 prodimage" href="{route function=$productRoute key=$product->product->product_id
21             productName=$product->translation->name productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="nof
follow">
- 22         <span class="f-grid-12 img-wrap">
- 23             translation->name|escape}" />
+ 22         <span class="f-grid-12 img-wrap lazy-load">
+ 23             img->medium height=$skin_settings->img->medium image=$product->mainImageName() overlay=1}" alt="{ $pr
oduct->translation->name|escape}">
+ 24
+ 25             <noscript>
+ 26                 translation->name|escape}">
+ 27             </noscript>
28         </span>
29     </a>
30

```

```

117         <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_
PRECISION value=1 trim=true}" type="text" class="short center"></div>
118         <span class="unit">{ $product->unit->translation->name|escape}</span>
119         <input type="hidden" value="{ $product->defaultStock->getIdentifier()|escape}" name="sto
ck_id">
+ 120
+ 121         {foreach from=$product->getOptionsConfigurationStruct() item=option}
+ 122             {if $option.required}
+ 123                 <input type="hidden" name="required" value="1">
+ 124                 {break}
+ 125             {/if}
+ 126         {/foreach}
127         {/if}
+ 128
129         <button class="addtobasket btn btn-red" type="submit">
130             
131             <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>

```

```

179     {elseif 'phot' == $view}
180         <div class="products view{$view} s-row" {if $skin_settings->global->pricemode == '2'}data-netto="true"{/if}>
181         {foreach from=$products item=product name=prodlist}
- 182         <div class="product s-grid-3 product-main-wrap">
+ 182         <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="product s-grid-3 pr
oduct-main-wrap">
183             <div class="product-inner-wrap">
184                 <a class="prodimage f-row" href="{route function=$productRoute key=$product->product->product_id productName=$p
roduct->translation->name

```

```

185         productId=$product->product_id}" title="{ $product->translation->name|escape}" rel="nofollow">
- 186         <span class="f-grid-12 img-wrap{if $product->galleryImages|@count > 1} replace-img-list{/if}">
- 187         translation->name|escape}" />
- 189         {foreach from=$product->galleryImages item=img name=gal}
+ 186         <span class="f-grid-12 img-wrap{if $product->galleryImages|@count > 1} replace-img-list{/if} lazy-load">
+ 187         img->medium height=$skin_settings->img->medium image=$product->mainImageName() overlay=1}" alt="{ $product->
translation->name|escape}" {foreach from=$product->galleryImages item=img name=gal}
188             {if $smarty.foreach.gal.index == 1}
- 189             translation->name|escape}">
+ 188             data-src-alt="{imageUrl type='productGfx' width=$skin_settings->img->medium height=$skin_settin
gs->img->medium image=$img->unic_name}"
189             {/if}
- 190         {/foreach}
+ 190         {/foreach} />
+ 191
+ 192         <noscript>
+ 193         translation->name|escape}" />
+ 195         </noscript>
196     </span>
197 </a>
198 <a class="prodname f-row" href="{route function=$productRoute key=$product->product->product_id productName=$pr
oduct->translation->name

```

```

259         <div class="buttons f-row">
260             {if $enablebasket && $product->canBuyStock()}
261                 {if true == $product->defaultStockOnly()}
- 262                 <form class="basket {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute
stockId='post'}" method="post">
+ 262                 <form class="basket{if $loyalty_exchange} loyaltyexchange{/if}" action="{route key=$basketAddRoute
stockId='post'}" method="post">
263                 {else}
- 264                 <form class="basket {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute
stockId=$product->defaultStock->getIdentifier()}" method="get">
+ 264                 <form class="basket{if $loyalty_exchange} loyaltyexchange{/if}" action="{route key=$basketAddRoute
stockId=$product->defaultStock->getIdentifier()}" method="get">
265                 {/if}
266                 <fieldset>
267                     {if true == $product->defaultStockOnly()}
268                     <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PREC
ISION value=1 trim=true}" type="text" class="short center"></div>
269                     <span class="unit">{ $product->unit->translation->name|escape}</span>
270                     <input type="hidden" value="{ $product->defaultStock->getIdentifier()|escape}" name="stock_i
d">
+ 271

```

```
+ 272 {foreach from=$product->getOptionsConfigurationStruct() item=option}
+ 273 {if $option.required}
+ 274 <input type="hidden" name="required" value="1">
+ 275 {break}
+ 276 {/if}
+ 277 {/foreach}
278 {/if}
279
280 <button class="addtobasket btn btn-red" type="submit">
```

scripts/switch.tpl

```
17 {if $body_class|escape == 'shop_basket_done'}Shop.basket.orderDone = true;{/if}
18 Shop.basket.basketProducts = '{if 0 != $user->basket->countProducts()}{foreach from=$user->basket item=basket_product name=basket}
  {$basket_product->product->product_id|base64_encode},{/foreach}{/if}';
19 Shop.basket.categoryProducts = '{foreach from=$products item=product name=prodlist}{$product->product->product_id|base64_encode},{/fo
  reach}';
+ 20 Shop.values.currency = '{$currency->currency->name}';
21 {/dynamic}
22 </script>
```

Pliki .css

Pliki .less

styles/_other.less

```
246
247 .ajaxlayer {
248     cursor: pointer;
- 249 }
+ 249 }
+ 250
+ 251 /*
+ 252 .lazy-load {
+ 253     height: 100px !important;
+ 254     overflow: hidden;
+ 255     position: relative;
+ 256
+ 257     &::after {
+ 258         display: inline-block;
+ 259         font-family: FontAwesome;
+ 260         font-style: normal;
+ 261         font-weight: normal;
+ 262         line-height: 1;
+ 263         -webkit-font-smoothing: antialiased;
```

```
+ 264 -moz-osx-font-smoothing: grayscale;
+ 265 -webkit-animation: spin 2s infinite linear;
+ 266 -moz-animation: spin 2s infinite linear;
+ 267 -o-animation: spin 2s infinite linear;
+ 268 animation: spin 2s infinite linear;
+ 269 content: "\f013";
+ 270 position: absolute;
+ 271 left: 50%;
+ 272 top: 50%;
+ 273 z-index: 99999 !important;
+ 274 font-size: 2em;
+ 275 margin-left: -12px;
+ 276 }
+ 277 }
+ 278 */
```

styles/_responsive.less

```
284 text-align: right;
285 }
286 }
+ 287
+ 288 .buttons {
+ 289 text-align: center;
+ 290
+ 291 span {
+ 292 &:not(:last-child) {
+ 293 margin-bottom: 0.5em;
+ 294 }
+ 295
+ 296 width: 100%;
+ 297
+ 298 .btn {
+ 299 width: 100%;
+ 300 }
+ 301 }
+ 302 }
303 }
304
305 #box_login {
```